



WashBoss 9 Mask Professional Washing Machine

The WashBoss 9 Mask washing machine is designed for cleaning full-face masks and other small units. It features a compact, stainless steel design, simple controls, low water and energy consumption, and easy maintenance. The unit is also insulated to reduce heat loss and minimize noise emissions. Ideal for professional settings, it ensures safe and efficient cleaning.

Benefits

Specialized for breathing masks

The WashBoss 9 Mask washing machine is specifically engineered for the safe cleaning and disinfecting of full-face masks and other smaller devices. It uses a mildly alkaline, phosphate, and chlorine-free cleanser, followed by a citric acid-based optional neutralizing agent, ensuring thorough and safe cleaning.

Compact and efficient design

The WashBoss 9 Mask washing machine is compactly built to occupy minimal space while providing maximum efficiency. Its stainless steel construction is insulated against heat loss and noise emission, making it a durable and quiet addition to any professional setting.

User-friendly operation

The machine features simple controls with three push-buttons for different wash times (5, 10, or 21 minutes). The digital display shows the temperature for both the tank and the boiler, making it easy to monitor and adjust settings as needed.

Low water and energy consumption

The WashBoss 9 Mask washing machine is designed to be environmentally friendly, with low water and energy consumption. It reuses warm water from each rinse cycle and only uses clean water for the final rinse, achieving a water consumption of just 2 gallons per cycle.

Easy maintenance and cleaning

The WashBoss 9 Mask washing machine is easy to maintain, with removable spray arms and sieves that allow for thorough cleaning of the machine's interior. Its stainless steel construction ensures a hygienic operation and long-lasting and effortless durability.

High-quality and reliable performance

The WashBoss 9 Mask washing machine is built to provide reliable performance with minimal maintenance. It features a temperature safety device, door switch, and clear signal lamps and LED displays to ensure safe and efficient operation. The machine's high-quality construction guarantees a long life cycle and consistent cleaning results.

Advantages compared to other washing machines:

- Specially engineered for full-face masks
- Fast cleansing cycles
- The masks do not need to be transferred to another basket for drying
- Lower consumption of both water and electrical energy
- Simple to operate
- Low noise level when in use
- Minimal maintenance on the machine
- Long lasting durability
- A high quality product with long-lasting durability

Related Products

D-4129-2021



WashBoss Six SCBA

The WashBoss Six SCBA washing machine is specially developed for professional cleaning of SCBAs without breathing cylinders. The SCBAs are connected in the WashBoss Six SCBA to the high-pressure system provided in the machine. In addition, helmets or Face pieces can also be washed in this machine.

D-4117-2021



WashBoss Quad Complete

The WashBoss Quad Complete is designed for professional cleaning of SCBAs with breathing cylinders. The SCBAs will be cleaned while still under pressure with the cylinders attached. Additionally, helmets or full-face masks can also be washed in this machine.

D-222955-2020



WashBoss Solo SCBA

The WashBoss Solo SCBA washing machine is designed for cleaning one SCBA using a high-pressure line, or full-face masks and other small units. It features a compact, stainless steel design, simple controls, low water and energy consumption, and easy maintenance. Ideal for professional settings, it ensures safe and efficient cleaning.

Accessories

D-4056-2021



Support Frame

Stainless steel support frame for WashBoss Solo SCBA washing machine

D-4057-2021



Support Frame with Door

Stainless steel support frame closed with 1 door for WashBoss Solo SCBA

D-22966-2020



Stainless Steel Wire Basket

Stainless steel wire basket for WashBoss Solo SCBA

Technical Data

Specifications

Dimensions	33.46 x 23.62 x 24.41 (External)
height x width x depth in inches	13.39 x 21.26 x 24.41 (Internal)
Weight	150 lbs
External	grinded stainless steel type 304
Internal	stainless steel type 304
Doors	1 piece front (door Security/Emergency stop)
Feet	4 pieces adjustable for stability
Water connection / supply	G 3/4" to max. 120 °F. water hardness 2-4°dH
Water pressure	7-100 PSI
Water consumption	2 gallons per wash cycle
Cleansing time	approx. 5, 10 or 21 minutes
Wash tank content	5 gallons
Temperature wash water	120°F
Rinse tank content	3 gallons
Temperature rinse water	135°F
Temperature reading	by LED reading
Temperature safety	software: high level limit
Heating wash tank	2.0 kW
Heating rinse tank	4.5 kW
Water drain hose	ø 29 mm
Hose pumps	1 x for detergent dosage cleaning agent and 1 x for the optional optional neutralizing agent
Capacity	max. 9 full-face masks per wash cycle
Number of wire baskets	1 piece also fitting in our WashBoss Solo SCBA, DryBoss 18 Mask and DryBoss 45 Mask drying cabinets
Cleansing agent	Concentration 0.5%
Optional neutralizing agent	Concentration 0.05%

Connections

Voltage	3-pole CEE-plug, 208 Volt AC, 3 phases, PE, 60 Hz.
Power	33A
Water supply connection	G 3/4" max. 120°F.
Water hardness	2 - 4° dH
Required water pressure	7-100 PSI
Water consumption by rinse	2 gallons per 1 minute rinse
Water drain hose	ø 2 inch
Maximum height drain hose	200 mm without siphon
Noise volume	70 dB(A)
High pressure system	Minimum 1540 PSI
	Maximum 2100 PSI
	Male G5/8"

Ordering Information

WashBoss 9 Mask with stainless steel wire basket	3715723
Stainless steel support frame for WashBoss 9 Mask	3722845
Stainless steel support frame with door for WashBoss 9 Mask	3722844
Stainless steel wire basket 1/1	3722843
Water Softener System	source locally
Salt for softener (25 kg)	source locally

Notes

Not all products, features, or services are for sale in all countries.

Trademarks mentioned herein are the property of its respective owner. Trademarks may be owned by Drägerwerk AG & Co. KGaA (Dräger) or its affiliates in certain countries and not necessarily in the country in which this material is released. Visit www.draeger.com/trademarks for the current status of Dräger's trademarks

Corporate Headquarters

Drägerwerk AG & Co. KGaA
Moislanger Allee 53-55
23558 Lübeck, Germany
■ www.draeger.com

USA

Draeger, Inc.
7256 S. Sam Houston Parkway W.,
Suite 100
Houston, TX 77085
📞 1 800 4DRAGER
(1 800 437 2437)

Canada

Draeger Safety
Canada, Ltd.
2425 Skymark Ave.,
Unit 1
Mississauga, Ontario
L4W 4Y6
📞 1 877 DRAGER
(1 800 372 4371)

