



**Product Family**  
**Uvex Flex Seal**

Lightweight, silicone body conforms to assure the highest level of comfort and eye protection. Exceptional chemical splash and impact resistance. Fits over most prescription eyewear.

**Learn more about all of our Uvex plano products at [uvex.us](http://uvex.us) >**

**Learn more about our Uvex Rx safety frames at [uvexrx.com](http://uvexrx.com) >**



**Product Numbers & Ordering Information**

| Product Numbers   | Details  |
|---|--|
|  S3400HS | <b>Vara Prasanna Velpula</b><br>Vara Prasanna Velpula  |
|  S3405HS | <b>Navy Body, Fabric Headband</b><br>Clear Lens, Uvex HydroShield Anti-fog Coating           |
|  S710HS  | <b>Replacement Lens</b><br>Clear Lens, Uvex HydroShield Anti-fog Coating                     |
|  S3400X  | <b>Navy Body, Neoprene Headband</b><br>Clear Lens, Uvextreme Anti-fog Coating                |
|  S3405X  | <b>Navy Body, Fabric Headband</b><br>Clear Lens, Uvextreme Anti-fog Coating                  |
|  S3410X  | <b>Navy Body, Neoprene Headband</b><br>Gray Lens, Uvextreme Anti-fog Coating                 |
|  S3435X  | <b>Navy Body, Neoprene Headband</b><br>Shade 5.0 Infra-dura Lens, Uvextreme Anti-fog Coating |

## Uvex Flex Seal

|  |        |  |
|--|--------|--|
|   | S3420X | <b>Gray Body, Neoprene Headband</b><br>Clear Lens, Uvextreme Anti-fog Coating                |
|   | S3425X | <b>Gray Body, Neoprene Headband</b><br>Gray Lens, Uvextreme Anti-fog Coating                 |
|   | S3430X | <b>Navy Body, Neoprene Headband</b><br>Shade 3.0 Infra-dura Lens, Uvextreme Anti-fog Coating |
|   | S710X  | <b>Replacement Lens</b><br>Clear Lens, Uvextreme Anti-fog Coating                            |
|   | S715X  | <b>Replacement Lens</b><br>Gray Lens, Uvextreme Anti-fog Coating                             |
|   | S828   | <b>Replacement Neoprene Headband w/ Slides</b>   |
|  | S829   | <b>Replacement Fabric Headband w/ Slides</b>   |

### Additional Information

Packaging Ind. Box, 50/case

## Overview

### Key Features

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection
- Cured silicone body stays soft and supple in extreme temperatures
- Provides exceptional chemical splash and impact resistance
- Low profile and optically correct polycarbonate lens provides full field of vision
- Uvextreme® anti-fog coating and indirect venting system minimize fogging
- Fits over most prescription eyewear
- Easy and economical lens replacement system
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears
- Meets ANSI Z87+ (High Impact) and tested by Honeywell to meet the requirements of the CSA Z94.3 standard
- Made in USA

### Recommended Industries/Use

- Chemical
- Construction
- Forestry
- Government
- Mining
- Municipal Services
- Oil and Gas
- Steel and Metals
- Transportation
- Utilities

### Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Chemical
- Impact
- Splash

### Regulations

- ANSI Z87+ (High Impact) - Meets ANSI Z87+ (High Impact)
- ANSI Z.87.1/1989, CA 21,199 - Meets ANSI Z.87.1/1989, CA 21,199 (<http://www.mte.gov.br/Empregador/segsau>)

## Uvex Flex Seal

/Pesquisa/CA\_DET.asp?vNRCAProc=21199&Equipamento=00&NOEquipamento=&Fabricante=00&NOFabricante=)

- CSA Z94.3 - Tested by Honeywell to meet the requirements of the CSA Z94.3 standard

### Historical Brand

Uvex

### Warranty Information

Limited warranty

## Specifications

### Lens overall width

- 160 mm (6.25) "

### Lens material

- Polycarbonate

### Lens coating

- Uvextreme® AF

### Lens thickness

- 2.3 mm (0.09) "

### Available lens tints

- Clear, Gray, Shade 3.0, Shade 5.0

### Replacement lenses available (yes/no)

- Yes

### Rx capable

- Fits over most prescription lenses

### Goggle body material

- Silicone

### Headband material

- Neoprene, fabric

### Goggle weight

- 114.25 grams (4.0 oz.)

### Available body colors

- Navy, Gray

### Country of origin

- Made in USA

## Training & Proper Use

All products come packaged with instructions and warnings for proper use.

## Technical Support

(800) 682-0839, Sperian Protection Americas, Customer Care

### RELATED PRODUCTS