

Honeywell Uvex SVP 200 Series is the perfect eyewear for our changing demographics!

Its stylish, low-profile and very lightweight, fit offers all-day comfort for part-time or full-time workforce across all industries

Uvex® SVP 200 Series	
SVP200	UVEX SVP200, CLEAR FRM, CL HC
SVP201	UVEX SVP200, CLEAR FRM, CL AF
SVP202	UVEX SVP200, GRAY FRM, GY HC
SVP203	UVEX SVP200, GRAY FRM, GY AF
SVP204	UVEX SVP200, AMBER FRM, AMB AF
SVP205	UVEX SVP200, BLUE FRM, CL AF
SVP206	UVEX SVP200, BLUE FRM, BLMIR HC
SVP207	UVEX SVP200, BLUE FRM, I/O HC
SVP208	UVEX SVP200, PINK FRM, CL AF



- Dielectric, 10 base wraparound lens offers optimum protection
- Frameless, VERY lightweight and low-profile at 15 grams!
– all day wear and fits most facial profiles
- Temple tips are flexible and comfortable
– no pinching
- Molded nosepiece
- Polycarbonate lens available in Uvextra Anti-Fog Coating & Hardcoat
- Available in 5 frame colors and 5 lens tints
- ANSI & Z94.3





TECHNICAL DATA

Uvex® SVP200 Series

Stylish Simplicity

SVP 200 SERIES SPECIFICATIONS	
Lens overall width	5.4 inches (136.7mm)
Lens material	Polycarbonate
Lens coating	Hard coat and Anti-Fog
Lens thickness	.071 (1.8mm)
Lens tints	Clear, Gray, Amber, Blue Mirror, I/O
Lens base curve	10 Base
Repl. lenses or foam frame available	NO
Rx capable	NO
Temple material	Polycarbonate
Temple length	5.04 inches (12.8cm)
Temple style	Spatula
Frame Material	Polycarbonate
Frame colors	Clear, Gray, Amber, Blue, Pink
Side shield material	N/A
Dielectric	Yes
Packaging (Spectacle/Goggle)	Ind., 10/Stocker, 200/Case
Unit weight (Spectacle/Goggle)	0.03 lbs. (15.6 grams)
Ind. box-bag dimensions (Spectacle/Goggle)	5.5" x 2.6" x 1.8" (14 x 6.5 x 4.5 cm)
Ind. box-bag weight (Spectacle/Goggle)	.04 lbs. (18 grams)
Stocker dimensions (Spectacle/Goggle)	11.2" x 6.9" x 3.9" (28.5 x 17.5 x 10 cm)
Stocker weight (Spectacle/Goggle)	.73 lbs. (.330kg)
Master Case dimensions (Spectacle/Goggle)	20.5" x 14.6" x 23.2" (52 x 37 x 59 cm)
Master Case weight (Spectacle/Goggle)	16.76 lbs. (7.600 kg)
Packaging (Repl. lens)	N/A
Unit weight (Repl. lens)	N/A
Ind. box-bag dimensions (Repl. lens)	N/A
Ind. box-bag weight (Repl. lens)	N/A
Stocker dimensions (Repl. lens)	N/A
Stocker weight (Repl. lens)	N/A
Case dimensions (Repl. lens)	N/A
Case weight (Repl. lens)	N/A
Standards passed	ANSI Z87.1-2015 and CSA Z94.3

TECHNICAL DATA

Chemical splash protection	NO
Dust / Airborne particle protection	NO
Country of origin	China
MSDS requirement	NO
WHMIS Requirement	NO
Harmonization Code	9004.90.0000 (Eyewear)

For more information
www.uvex.us

Honeywell Industrial Security
900 Douglas Pike
Smithfield, RI 02917
U.S.
800-430-5490
www.honeywell.com

Canada
888-212-7233